

List of Herbarium sheets

Sr. No.	Botanical Names	Field book no.
1.	<i>Abelmoschus esculentus</i> Moench.	206
2.	* <i>Abrus precatorius</i> Linn.	3237
3.	<i>Abutilon hirtum</i> G. Don	64
4.	* <i>Abutilon indicum</i> (Linn.) Sw.	
5.	<i>Abutilon muticum</i> G. Don	1461
6.	<i>Abutilon persicum</i> Burm f. Merr.	2243
7.	<i>Abutilon polyandrum</i> Wt. & Brn.	1091
8.	<i>Acacia auriculiformis</i> A. Cumn. ex. Benth.	30
9.	<i>Acacia catechu</i> Willd.	725
10.	<i>Acacia chundra</i> Willd.	498
11.	* <i>Acacia concinna</i> DC.	
12.	* <i>Acacia farnesiana</i> Willd.	412
13.	* <i>Acacia leucophloea</i> Willd.	3218
14.	<i>Acacia nilotica</i> (L.) Willd.	2673
15.	* <i>Acacia pennata</i> (L.) Willd.	1175
16.	* <i>Acalypha ciliata</i> Forsk.	239
17.	<i>Acalypha fruticosa</i> Farsk.	94
18.	<i>Acalypha indica</i> Linn.	915
19.	<i>Acalypha hispida</i> Burm. f.	313
20.	* <i>Acanthospermum hispidum</i> DC.	247
21.	<i>Achras sapota</i> Linn.	73
22.	<i>Achyranthus aspera</i> Linn.	71
23.	* <i>Aconitum heterophyllum</i> Wall.	2420
24.	* <i>Acorus calamus</i> L.	
25.	<i>Acrocarpus fraxinifolius</i> Wt.	1062 Bang.
26.	<i>Acrocephalus indicus</i> O. Ktze	293
27.	* <i>Actinodaphne angustifolia</i> Nees.	365
28.	<i>Adenanthera pavonina</i> Linn.	406
29.	<i>Adiantum capillus -veneris</i> Linn.	4519
30.	<i>Adiantum lunulatum</i> Burm.	358

31.	<i>Adina cordifolia</i> (Roxb.) Benth.	4800
32.	* <i>Adinocalyma alliaceum</i> Engl.	3353
33.	* <i>Aegle marmelos</i> Corr.	346
34.	* <i>Aerva lanata</i> Juss.	153
35.	<i>Agave ingens</i> Berger.	1221 Guj.
36.	* <i>Ageratum conyzoides</i> Linn.	261
37.	<i>Alangium lamarckii</i> Thw.	484
38.	* <i>Alangium salvifolium</i> Wang.	413
39.	<i>Albizzia lebbbeck</i> Benth.	1108
40.	<i>Albizzia odoratissima</i> Benth.	504
41.	<i>Allium cepa</i> Linn.	2307
42.	<i>Allium clarkei</i> Hook. f.	471
43.	* <i>Allophyllus cobbe</i> (L.) Raeusche	356
44.	<i>Aloe barbadensis</i> Mill.	195
45.	* <i>Alstonia scholaris</i> R.Br.	530
46.	<i>Alternanthera sessilis</i> (Linn.) DC.	109
47.	<i>Alternanthera tenella</i>	
48.	<i>Althaea rosea</i> Cav.	2233
49.	* <i>Alysicarpus longifolius</i> W. & A.	287
50.	* <i>Alysicarpus vaginalis</i> DC.	2155
51.	<i>Amaranthus blitum</i> Linn.	2248
52.	<i>Amaranthus paniculatus</i> Linn.	2287
53.	<i>Amaranthus spinosus</i> Linn.	2208
54.	<i>Amaranthus tricolor</i> Linn.	2065
55.	<i>Amaranthus viridis</i> Linn.	2076
56.	<i>Ammania baccifera</i> Linn.	2062
57.	<i>Ammania floribunda</i> C.B.D.	1697
58.	<i>Amorphophallus companulatus</i> Decne.	827
59.	<i>Ampelocissus latifolia</i> (Roxb.) Palnch.	1241
60.	<i>Anacardium occidentale</i> Linn.	452
61.	<i>Anagallis arvensis</i> Linn.	2108
62.	<i>Andrographis echioides</i> Nees.	2210

63.	<i>*Andrographis paniculata</i> Nees.	
64.	<i>Anethum sowa</i> Kurz.	1826
65.	<i>Anisomeles indica</i> (Linn.) O. Kurtze	859 Guj.
66.	<i>Anisomeles ovata</i> R.Br.	149
67.	<i>Annona muricata</i> Linn.	2380
68.	<i>Annona reticulata</i> Linn.	2236
69.	<i>Annona squamosa</i> Linn.	
70.	<i>Anodendron paniculatum</i> A. DC.	1687
71.	<i>*Anogeissus latifolia</i> Wall.	
72.	<i>Anogeissus pendula</i> Edgew.	350
73.	<i>Anthocephalus chinensis</i> Walp.	386
74.	<i>Antigonon leptopus</i> Hook & Arn.	724
75.	<i>*Apama siliquosa</i> Lamk.	1013
76.	<i>Apisocclulus carnosus</i> Wall.	998
77.	<i>Arachis hypogaea</i> Linn.	2355
78.	<i>Ardisia solanacea</i> Roxb.	570
79.	<i>Argemone mexicana</i> Linn.	2163
80.	<i>Argyrea cuneata</i> Ker.	315
81.	<i>Argyreia hookeri</i> C.B. Cl.	337
82.	<i>Argyreia involucrata</i> C.B.Cl.	338
83.	<i>Argyreia speciosa</i> Sweet	364
84.	<i>Argyreia sericea</i> Dalz.	200
85.	<i>Argyreia strigosa</i> (Roth.) Roberty.	4847
86.	<i>*Arisaema tortusum</i> (Wall.) Schott.	360
87.	<i>Aristida adscensionis</i> Linn.	
88.	<i>*Aristolochia bracteolata</i> Lam.	228
89.	<i>*Aristolochia indica</i> Linn.	42
90.	<i>Artabotrys odoratissimus</i> R. Br.	355
91.	<i>Artemesia nilagirica</i> Pamp.	752
92.	<i>Arthraxon prionodes</i> (Stead.) Dandy.	4094
93.	<i>Artocarpus heterophyllus</i> Lam.	2353
94.	<i>*Artocarpus lakucha</i> Buch.- Ham.	208

95.	* <i>Asclepias curassavica</i> Linn.	373
96.	<i>Asparagus adscendus</i> Roxb.	
97.	<i>Asparagus racemosus</i> Willd.	2336
98.	* <i>Atalantia racemosa</i> Linn.	1622
99.	<i>Atlantia wightii</i> Tanaka	1450
100.	<i>Atylosia scabarioides</i> Benth.	969
101.	<i>Averrhoa carambola</i> Linn.	4773
102.	* <i>Azadirachta indica</i> A. Juss.	2726
103.	<i>Azima tetraacantha</i> Lam.	2328
104.	<i>Bacopa monnieri</i> Pennell.	
105.	* <i>Balanites aegyptica</i> (Linn.) Delile	232
106.	* <i>Baliospermum montanum</i> Muell. Arg.	462
107.	<i>Baninsteria benglensis</i>	2087
108.	<i>Barleria cristata</i> Linn.	301
109.	<i>Barleria prattensis</i> Sant.	896
110.	* <i>Barleria prionitis</i> Linn.	1077
111.	<i>Barleria strigosa</i> Willd.	422
112.	* <i>Barringtonia racemosa</i> Roxb.	4860
113.	* <i>Bauhinia purpurea</i> Linn.	273
114.	* <i>Bauhinia racemosa</i> Lam.	
115.	* <i>Bauhinia tomentosa</i> Linn.	272
116.	* <i>Bauhinia vahlii</i> Wt. & Arn.	464
117.	<i>Begonia crenata</i> Dryand.	206
118.	<i>Beil schmiedia wightii</i> Wt. & Benth.	1169
119.	<i>Berberis aristata</i> DC.	
120.	<i>Berberis lycium</i> DC.	4863
121.	* <i>Bergia odorata</i> Edgew.	1130
122.	<i>Bidens pillosa</i> Linn.	2311
123.	* <i>Biophytum sensitivum</i> (Linn.) DC.	263
124.	* <i>Bixa orellana</i> Linn.	319
125.	<i>Blachia umbellata</i> Miller.	1446
126.	<i>Blepharis molluginifolia</i> Pers.	2070

127.	<i>Blumea belangeriana</i> DC.	4277
128.	<i>Blumea eriantha</i> DC.	1538
129.	<i>Blumea lacera</i> (Burm.f.) DC.	4499
130.	<i>Blumea membranacea</i> DC.	381
131.	<i>Blumea oxyolonta</i> DC.	2170
132.	<i>Boehmeria malabarica</i> Wedd.	1442
133.	* <i>Boerhaavia diffusa</i> Linn.	3321
134.	<i>Boerhaavia erecta</i> Linn.	
135.	<i>B. repens</i>	1589
136.	<i>Boerhaavia repanda</i> Willd	1438
137.	<i>Bombax ceiba</i> Linn.	508
138.	<i>Boerhaavia chinensis</i> (Burm.f.) Druce.	1081
139.	<i>Bogainvillea spectaliti</i> Willd.	747
140.	<i>Borreria articularis</i> (L.) f.	2093
141.	<i>Borreria hispida</i> (L.) K. Schum.	45
142.	<i>Borreria stricta</i> (Linn.f.) Schum.	393
143.	* <i>Boswellia serrata</i> Roxb.	
144.	<i>Brassica campestris</i> Linn.	225
145.	* <i>Brassica juncea</i> (L.) Gern. & Coss.	379
146.	<i>Brassica nigra</i> (L.) Koch.	
147.	* <i>Breynia patens</i> Benth.	287
148.	<i>Bridelia Squamosa</i>	23
149.	<i>Bridelia scandens</i> (Roxb.) Willd.	1400
150.	<i>Bridelia retusa</i> (Lam.) Gehrm.	1029
151.	<i>Bryonopsis laciniosa</i> (L.) Naud.	296
152.	* <i>Bryophyllum claycinum</i> Salisb.	438
153.	* <i>Buchnanania lanzan</i> Spreng.	207
154.	<i>Bursera penicillata</i> Engl.	387
155.	* <i>Butea monosperma</i> (Lamk.) Taub.	463
156.	<i>Cadaba fruticosa</i> Linn.	2006
157.	* <i>Caesalpinia crista</i> L.	3252
158.	<i>Caesalpinia pulcherrima</i> (L.) Sw.	

159.	<i>Caesulia axillaris</i> Roxb.	3270
160.	* <i>Cajanus cajan</i> (L.) Millsp.indicus	2294
161. 2	<i>Cajanus sericeus</i> (Bth. ex Baker) van der Maesen.	320
162.	<i>Calatropis gigantea</i> R. Br.	2294
163.	<i>Calatropis procera</i> R.Br.	
164.	<i>Callicarpa tomentosa</i> Murr.	301
165.	<i>Callistemon lanceolatum</i> DC.	
166.	<i>Calophyllum inophyllum</i> Linn.	
167.	<i>Calycopterus floribunda</i> Lam.	
168.	<i>Camellia sinensis</i> (L.) O.ktze.	
169.	<i>Cananga odorata</i> Hook.f.	2335
170.	<i>Canavalia ensiformis</i> DC.	1828
171.	<i>Canavalia virosa</i> (Roxb.) W.& A.	1165
172.	<i>Canna indica</i> Linn.	2187
173.	<i>Cannabis sativa</i> Linn.	78
174.	<i>Canthium dicocum</i> (Gaertn.) Merr.	376
175.	* <i>Capparis decidua</i> (Forssk.) Edgew.	220
176.	* <i>Capparis grandis</i> Linn.f.	4854
177.	<i>Capparis leucophylla</i> DC.	75
178.	* <i>Capparis moonii</i> Wt.	441
179.	<i>Capparis sepiaria</i> Linn.	1302
180.	<i>Capparis spinosa</i> Linn.	1950
181.	<i>Capparis zeylanica</i> Linn.	2211
182.	<i>Capsicum annum</i> Linn.	2301
183.	<i>Carallia brachiata</i> (Lour.) Merr.	506
184.	<i>Cardamine subumbellata</i> Hook. ex. Hook f & T.	395
185.	* <i>Cardiospermum hallicacabum</i> Linn.	234
186.	<i>Careya arborea</i> Roxb.	1628
187.	<i>Careya arborea</i> Roxb.	10
188.	* <i>Carissa congesta</i> Wight.	
189.	<i>Carvia callosa</i> (Nees.) Bremek.	1344
190.	* <i>Carthamus tinctorius</i> Linn.	324

191.	<i>Cascabela thevetia</i> (L.) Lippold.	
192.	* <i>Cassia absus</i> Linn.	279
193.	<i>Cassia angustifolia</i> Vahl.	
194.	* <i>Cassia auriculata</i> Linn.	4759
195.	* <i>Cassia fistula</i> Linn.	24
196.	<i>Cassia hirsuta</i> Linn.	1452
197.	<i>Cassia mimosoides</i> L.	421
198.	<i>Cassia multijuga</i>	2095
199.	<i>Cassia nodosa</i> Buch. - Ham. ex. Roxb.	4602
200.	<i>Cassia occidentalis</i> Linn.	10
201.	<i>Cassia pumila</i> Lam.	958
202.	<i>Cassia siaemea</i> Lam.	407
203.	<i>Cassia sophera</i> Linn.	1100
204.	<i>Cassia tora</i> Linn.	62
205.	<i>Cassine glauca</i> (Rottb.) Ok.	1507
206.	<i>Cassytha filiformis</i> Linn.	751
207.	<i>Casurina equisetifolia</i> Forst.	1533
208.	<i>Catharathus roseus</i> (L.) Don.	
209.		
210.	* <i>Catunaregam spinosa</i> (Thunb.) Tiruv.	204
211.	* <i>Celastrus paniculatus</i> Willd.	341
212.	* <i>Celosia argentea</i> Linn.	431
213.	<i>Celsia coromandeliana</i> Vahl.	665
214.	<i>Celtis timorensis</i> Spanoghe.	1664
215.	<i>Centella asiatica</i> (Linn.) Urban.	
216.	<i>Centrantherum anthelminticum</i> (Willd.) Kuntze.	1030
217.	* <i>Ceropegia bulbosa</i> Roxb.	2640
218.	<i>Chasalia orphoxyloides</i> (Wall.) Deb. & Krishna	453
219.	* <i>Chenopodium album</i> Linn.	661
220.	<i>Chloris virgata</i> Sw.	116
221.	* <i>Chlorophytum tuberosum</i> Baker.	372
222.	<i>Chlorophytum laxum</i> R.Br.	

223.	<i>Chrozophora prostrata</i> Dalz. & Gibs.	229
224.	* <i>Cicer arietinum</i> Linn.	
225.	* <i>Cinnamomum zeylanicum</i> Blume	1060
226.	<i>Cipadissa baccifera</i> (Roth.) Miq.	460
227.	* <i>Cissampelos pareira</i> Linn.	214
228.	<i>Cissus discolor</i> Bl.	1409
229.	<i>Cissus elongata</i> Roxb.	357
230.	<i>Cissus pallida</i> Planch.	784
231.	<i>Cissus quadrangularis</i> Linn.	1309
232.	<i>Citrullus vulgaris</i> Sch.	2222
233.	<i>Citrus auratifolia</i> Christm.	
234.	<i>Citrus medica</i> Linn.	365
235.	<i>Cleistanthus patulus</i> Muell. - Srg	1072
236.	<i>Clematis gouriana</i> Roxb.	1136
237.	<i>Clematis hedysarifolia</i> DC.	1528
238.	<i>Clematis triloba</i> Heyne.	1055
239.	<i>Cleome burmanni</i> W. & Arn.	258
240.	<i>Cleome viscosa</i>	2145
241.	<i>Cleome simplicifolia</i> Hook.	201
242.	* <i>Clerodendrum inerme</i> (Linn.) Gaertn.	2314
243.	* <i>Clerodendrum multiflorum</i> (Burm.f.) Kuntze.	2709
244.	<i>Clerodendrum phlomidis</i> Linn. f.	
245.	* <i>Clerodendrum serratum</i> (Linn.) Moon.	92
246.	<i>Clerodendrum viscosum</i> Venf.	1647
247.	* <i>Clitorea ternatea</i> Linn.	44
248.	<i>Coccinia grandis</i> (L.) Voight.	306
249.	<i>Coccinia indica</i> W. & A.	1291
250.	* <i>Cocculus hirsutus</i> (Linn.) Diels.	3302
251.	<i>Cochlospermum religiosum</i> (L.) Alston.	574
252.	<i>Cocos nucifera</i> Linn.	2376
253.	<i>Coffea arabica</i> Linn.	515
254.	* <i>Colebrookea oppositifolia</i> Sm.	443

255.	* <i>Coleus ambonicus</i> Lour.	2323
256.	<i>Commelina benghalensis</i> Linn.	2177
257.	* <i>Commiphora wightii</i> (Arn.) Bhandari	242
	<i>Canscora dicussata</i>	91
	* <i>Convolvulus arvensis</i> Linn.	437
258.	<i>Convolvulus microphyllus</i> Sieb. ex. Spreng	1051
259.	* <i>Corallocarpus epigaeus</i> C. B. Cl.	231
260.	<i>Corchorus aestuans</i> Linn.	365
261.	<i>Corchorus olitorius</i> Linn.	1436
262.	* <i>Cordia dichotoma</i> Forst.	31
263.	<i>Cordia gharaf</i> (Forsk.) Ehrenb & Asch.	411
264.	<i>Cordia obliqua</i> Willd.	944
265.	<i>Cordia rothii</i> R. & S.	4546
266.	<i>Coriandrum sativum</i> Linn.	1821
267.	<i>Crataeva nurvala</i> Buch. - Ham.	
268.	<i>Crataeva religiosa</i> Hook. f. ex. Thoms.	1580
269.	<i>Cressa cretica</i> Linn.	113
270.	<i>Crotalaria filipes</i> Benth.	309
271.	<i>Crotalaria heyneana</i> Grah.	1004
272.	<i>Crotalaria juncea</i> Linn.	185
273.	<i>Crotalaria linifolia</i> Linn. f.	2098
274.	<i>Crotalaria medicaginea</i> Lam.	428
275.	<i>Crotalaria mucronata</i> Desv.	1344
276.	<i>Crotalaria orixensis</i> Willd.	281
277.	<i>Crotalaria ovalifolia</i> Wall.	
278.	* <i>Crotalaria retusa</i> Linn.	447
279.	<i>Crotalaria striata</i> DC.	489
280.	<i>Crotalaria verrucosa</i> Linn.	1841
281.	<i>Croton sparsiflorus</i> Morang.	85
282.	* <i>Cryptocarya bourdillonii</i> Gamb.	1023
283.	<i>Cryptocarya wightiana</i> Thuv.	1640
284.	* <i>Cryptolepis buchanani</i> Roem. & Schult.	351

285.	<i>Cryptostegia grandiflora</i> R. Br.	374
286.	<i>Cucumis trigonus</i> Roxb.	670
287.	<i>Cucurbita maxima</i> Duch.	2239
288.	<i>Cupressus</i> spp.	1377
289.	<i>Curcuma inodora</i> Blatt.	4652
290.	* <i>Curcuma longa</i> L.	
291.	<i>Curcuma pseudomontana</i> Grah.	205
292.	<i>Cyamopsis tetragonolobus</i> (L.)Taub.	580
293.	<i>Cyanotis axillaris</i> Schult.	724
294.	<i>Cyanotis tuberosa</i> Schult.	760
295.	<i>Cyathocline purpurea</i> (Don.) Kmbze.	270
296.	<i>Cyathula prostrata</i> Bl.	1077 Bang.
297.	<i>Cylista scariosa</i> Roxb.	1026
298.	<i>Cymbopogon citratus</i> (DC) Stapf.	
299.	<i>Cymbopogon martini</i> (Roth.) Wats.	559
300.	<i>Cynodon dactylon</i> Pers.	
301.	<i>Cynoglossum denticulatum</i> A. DC.	306
302.	<i>Cynoglossum furcatus</i> Wall.	30
303.	<i>Cynoglossum wallichii</i> G. Don.	868
304.	<i>Cyperus compressus</i> L.	5075
305.	<i>Cyperus iria</i> Linn.	389
306.	<i>Cyperus pygmaeus</i> Rotlb.	1799
307.	<i>Cyperus rotundus</i> Linn.	
308.	<i>Daemia extensa</i>	2215
309.	<i>Dactyloctenium aegypticum</i> Beauv.	103
310.	<i>Dalbergia lanceolaria</i> Linn.f.	362
311.	<i>Dalbergia melanoxylon</i> Guill. & Perr.	348
312.	* <i>Dalbergia sissoo</i> Roxb.	454
313.	<i>Dalbergia sympethetica</i> Nimmo.	1565
314.	<i>Datura inoxia</i> Mill.	378
315.	* <i>Datura metel</i> Linn.	3214
316.	<i>Datura stramonium</i> Linn.	166

317.	<i>Datura squaveolens</i> Humb. & Bonpl. ex Willd.	383
318.	<i>Dendrophthoe falcata</i> (Linn.f.) Ettino.	547
319.	<i>Desmodium cephalota</i> Wall.	396
320.	* <i>Desmodium gangeticum</i> DC.	215
321.	<i>Desmodium heterocarpon</i> (Linn.) DC.	1011
322.	<i>Desmodium triangulare</i> (Retz.) Sant.	1411
323.	<i>Desmodium triflorum</i> DC.	31
324.	<i>Desmodium triquetrum</i> (Linn.) DC.	1406
325.	<i>Desmodium umbellatum</i> (L.) DC.	317
326.	<i>Dichanthium annulatum</i> Stapf.	4454
327.	<i>Dichapetalum gelonioides</i> Roxb.	1491
328.	<i>Dichrostachys cinerea</i> Wight. & Prodr.	95
329.	<i>Dicoma tomentosa</i> Cass.	2204
330.	<i>Digera muricata</i> (Linn.) Mart.	10
331.	<i>Digerea arvensis</i> Forsk.	942
332.	<i>Dioscorea bulbifera</i> Linn.	814
333.	* <i>Dioscorea hispida</i> Dennst.	1592
334.	<i>Dioscorea pentaphylla</i> Linn.	1442
335.	<i>Diospyros chloroxylon</i> Roxb.	402
336.	<i>Diospyros melanoxylon</i> Roxb.	376
337.	<i>Diospyros montana</i> Roxb.	
338.	<i>Diploclisia glaucescens</i> (Bl.) Diels.	463
339.	<i>Diplocyclos palmatus</i> Linn.	1550
340.	<i>Dodonaea viscosa</i> Linn.	
341.	<i>Dolichandrone falcata</i> Seem.	342
342.	<i>Dolichos biflorus</i> Linn.	281
343.	<i>Dregea volubilis</i> Benth. Ex. Hook.	4796
344.	<i>Drosera indica</i> Linn.	898
345.	<i>Duranta plumieri</i> Jacq.	279
346.	<i>Ecbolium viride</i> (Forst.) Merrill.	450
347.	<i>Echinops echinatus</i> Roxb.	3298
348.	* <i>Eclipta alba</i> Linn.	251

349.	<i>Ehretia laevis</i> Roxb.	
350.	<i>Eichornia crassipes</i> Sohms.	158
351.	<i>Elaeagnus latifolia</i> Linn.	302
352.	<i>Elaeocarpus serratus</i> Linn.	1422
353.	<i>Elaeocarpus tuberculatus</i> Roxb.	1051
354.	<i>Elaeodendron glaucum</i> Pers.	668
355.	<i>Elatostemma lineolatum</i> Wt.	1090
356.	<i>Elattaria cardamomum</i> Matern.	1149
357.	<i>Eleocharis atropurpurea</i> Kunth.	4725
358.	* <i>Elephantopus scaber</i> Linn.	303
359.	<i>Embelia ribes</i> Burm.f.	1338
360.	<i>Embelia robusta</i> C.B.D.	352
361.	<i>Embelia tsjeriam-cottam</i> (K&S.)A.D.	1480
362.	<i>Embelia viridiflora</i> Scheff.	366
363.	<i>Emblica officinalis</i> Gaertn.	37
364.	* <i>Emilia sonchifolia</i> DC.	256
365.	<i>Ensete superbum</i> Roxb.	285
366.	<i>Epithema carnorum</i> Benth.	1332
367.	<i>Equisetum debile</i> Roxb.	483
368.	<i>Eranthemum roseum</i> (Vahl.) R. Br.	312
369.	<i>Eriocaulon cinereum</i> R.Br.	4742
370.	* <i>Ervatamia coronaria</i> Stapf.	344
371.	<i>Ervatamia heyneana</i> T. Cooke.	1654
372.	<i>Erythrena indica</i> Linn.	3286
373.	<i>Eucalyptus citriodora</i> Hook.	979
374.	<i>Eulophia epidendracea</i> (Retz.) Fischer. Sp.	468
375.	<i>Eupatorium triplinerve</i> Vahl.	1825
376.	<i>Euphorbia acaulis</i> Roxb.	1430
377.	<i>Euphorbia dracanculoides</i> Lamk.	253
378.	<i>Euphorbia geniculata</i> Orteg.	1911
379.	<i>Euphorbia hirta</i> Linn.	3356
380.	* <i>Euphorbia hyperisifolia</i> Linn.	399

381.	<i>Euphorbia parviflora</i> Linn.	2061
382.	<i>Euphorbia rothiana</i> Spreng.	427
383.	* <i>Euphorbia thymifolia</i> Linn.	3356
384.	<i>Euphorbia triucalli</i> Linn.	1822
385.	<i>Evodia lunu-ankenda</i> Merr.	1337
386.	<i>Evolvulus alsinoides</i> Linn.	3362
387.	<i>Exacum bicolor</i> Roxb.	369
388.	<i>Exacum pedunculatum</i> Linn.	901
389.	* <i>Fagonia cretica</i> Linn.	326
390.	<i>Feronia limonia</i> (Linn.) Swingle	
391.	<i>Ficus amphissima</i> Smith.	1086
392.	<i>Ficus arnottiana</i> Miq.	794
393.	* <i>Ficus benghalensis</i> Linn.	114
394.	<i>Ficus glomerata</i>	1665
395.	<i>Ficus gibbosa</i> Blume.	2347
396.	<i>Ficus hispida</i> Linn.f.	
397.	<i>Ficus infectoria</i> Roxb.	1683
398.	* <i>Ficus lacor</i> Buch. - Ham.	335
399.	<i>Ficus racemosa</i> Linn.	
400.	* <i>Ficus religiosa</i> Linn.	52
401.	<i>Ficus tsiakela</i> Burm.	1665
402.	<i>Fimbristylis littoralis</i> Gaud.	4724
403.	<i>Fimbristylis ferrugenea</i> Vent.	4819
404.	* <i>Flacourtia indica</i> Merr.	467
405.	<i>Flacourtia ramontchi</i>	392
406.	<i>Flacourtia latifolia</i> T. Cook.	1342
407.	* <i>Fleurya interrupta</i> (L.) Gaud.	449
408.	* <i>Fluggea leucopyrus</i> Willd.	389
409.	<i>Foeniculum vulgare</i> Mill.	2229
410.	* <i>Garcinia indica</i> Chois.	322
411.	<i>Garcinia morella</i> Desv.	1413
412.	<i>Garcinia spicata</i> Hook.f.	

413.	<i>Gardenia lucida</i> Roxb.	925
414.	* <i>Gardenia resinifera</i> Roth.	470
415.	<i>Gardenia turgida</i> Roxb.	283
416.	<i>Gardenia</i> sp.	672
417.	<i>Garuga pinnata</i> Roxb.	145
418.	<i>Gevotia rotteleriformis</i> Grift.	158
419.	<i>Girardinia zeylanica</i> Decene.	212
420.	<i>Glinus latooides</i> Linn.	1752
421.	<i>Glochidion ellipticum</i>	355
422.	* <i>Glochidion hohenakeri</i> Bedd.	319
423.	* <i>Gloriosa superba</i> Linn.	422
424.	* <i>Glossocardia bosvallea</i> DC.	394
425.	<i>Glossocardia linearifolia</i> Cass.	954
426.	<i>Glycosmis arborea</i> (Roxb.) DC.	413
427.	<i>Glycyrrhiza glabra</i> Linn.	2310
428.	* <i>Gmelina arborea</i> Roxb.	455
429.	<i>Gnaphalium indicum</i> Linn.	1756
430.	<i>Gnaphalium luteo-album</i> Linn.	549
431.	<i>Gnetum ula</i> Linn.	464
432.	<i>Gomphrena celosoides</i> Hart.	185
433.	<i>Goniogyna hirta</i> (Willd.) Ali.	2104
434.	<i>Gordonia obtusa</i> Wall.	1080
435.	<i>Gossypium herbaceum</i> Linn.	229
436.	* <i>Grewia asiatica</i> Mast.	388
437.	<i>Grewia hirsuta</i> Vahl.	1059
438.	* <i>Grewia tenax</i> (Forsk.) Aschers. & Schaf.	
439.	<i>Grewia tiliaefolia</i> Vahl.	2229
440.	<i>Grewia populifolia</i> Vahl.	4857
441.	<i>Grewia</i> sp.	83
442.	<i>Guazuma ulmifolia</i> Lamk.	2656
443.	* <i>Guizotia abyssynica</i> Cass.	423
444.	* <i>Gymnema sylvestre</i> R.Br.	93

445.	* <i>Gymnema sylvestre</i> R.Br.	39
446.	<i>Gymnosporia montana</i> (Roth.) Benth.	4770
447.	<i>Gymnosporia spinosa</i> (Forks) Fiori..	1660
448.	<i>Gynandropsis gynandra</i> Linn.	2158
449.	<i>Gynandropsis pentaphylla</i> DC.	2379
450.	<i>Habenaria commelinifolia</i> Wall.	269
451.	<i>Haematoxylon campechianum</i> Linn.	1441
452.	<i>Hamelia patens</i> Jacq.	2029
453.	<i>Hedychium spicatum</i> Buch.-Ham.	403
454.	* <i>Helianthus annuus</i> Linn.	265
455.	* <i>Helicteres isora</i> Linn.	47
456.	<i>Heliotropium indicum</i> Linn.	592
457.	<i>Heliotropium ovalifolium</i> Forsk.	1562
458.	<i>Hemidesmus indicus</i> R.Br.	385
459.	* <i>Heracleum pinda</i> Dalz. & Gibs.	400
460.	<i>Heterophragma quadriloculare</i> (Roxb.) K. Schum.	1076
461.	<i>Heteropogon contortus</i> Roem. & Schult.	98
462.	<i>Hibiscus cannabinus</i> Linn.	269
463.	<i>Hibiscus esculentus</i> Linn.	2173
464.	<i>Hibiscus furcatus</i> Willd.	4744
465.	<i>Hibiscus lobatus</i> (Murr.) D. Ktze.	31
466.	<i>Hibiscus micranthus</i> Linn.	235
467.	<i>Hibiscus ovalifolius</i> Vahl.	1493
468.	<i>Hibiscus panduraeformis</i> Burm.	1059
469.	* <i>Hibiscus rosa sinensis</i> Linn.	60
470.	<i>Hibiscus sabdariffa</i> Linn.	2235
471.	<i>Hippocratea indica</i> Willd.	1685
472.	<i>Hippocratea indica</i> Willd.	466
473.	* <i>Hiptage benghalensis</i> (L.) Kurz.	
474.	<i>Holarrhena antidysenterica</i> Wall.	
475.	* <i>Holarrhena antidysenterica</i> Wall.	
476.	* <i>Holoptelea integrifolia</i> (Roxb.) Planch.	146

477.	<i>Holostemma annulare</i> K.Sch.	84
478.	<i>Holmskioldia sanguinea</i> Retz.	270
479.	<i>Homonium riparia</i> Lour.	500
480.	<i>Hybanthus enneaspermus</i> Muell.	2271
481.	<i>Hydnocarpus laurifolia</i> Dennst.	1151
482.	<i>Hygrofila scrpyllum</i> T.andss	400
483.	<i>Hygrofila schulli</i> (Buch.-Ham) L.	450
484.	<i>Hymenodictyon excelsum</i> (Roxb.) Wall.	1486
485.	<i>Hypoxis aurea</i> Lour.	1419
486.	<i>Hyptis suaveolens</i> Poit.	2201
487.	<i>Ichnocarpus frutescens</i> (Linn.) Ait. & Ait.	1414
488.	<i>Indigofera cordifolia</i> Heyne.	2111
489.	<i>Indigofera cordifolia</i> Heyne.	86
490.	<i>Indigofera enneaphylla</i> Linn.	2058
491.	<i>Indigofera glandulosa</i> Willd.	2089
492.	<i>Indigofera linifolia</i> Retz.	2158
493.	* <i>Indigofera pulchella</i> Roxb.	404
494.	<i>Indigofera tinctoria</i> Linn.	2088
495.	<i>Indigofera trifoliata</i>	881
496.	* <i>Ipigenia indica</i> Gray.	203
497.	<i>Ipomoea aquatica</i> Forsk.	977
498.	<i>Ipomoea carnea</i> Jacq.	363
499.	<i>Ipomoea coccinea</i> C.B. Clarke	278
500.	* <i>Ipomoea dissecta</i> Willd.	274
501.	<i>Ipomoea eriocarpa</i> R.Br.	2169
502.	<i>Ipomoea longiflora</i> R.Br.	2218
503.	<i>Ipomoea obscura</i> Kev. Gawl.	2251
504.	<i>Ipomoea pes-caprae</i> Sw.	
505.	<i>Irachna elegans</i> Dalz.	5039
506.	<i>Isonandra perottetiana</i> Wt.	1211
507.	* <i>Ixora arborea</i> Roxb.	1936
508.	<i>Ixora coccinea</i> Linn.	276

509.	<i>Ixora nigricans</i> Br.	340
510.	<i>Ixora parviflora</i>	930
511.	<i>Jambosa hemispherica</i> Walt.	1085
512.	<i>Jambosa lutea</i> Bl.	1050
513.	<i>Jasminum grandiflorum</i> Linn.	
514.	* <i>Jasminum malabaricum</i> Wt.	382
515.	<i>Jasminum pubescens</i> Willd.	1048
516.	<i>Jasminum rottlerianum</i> Wall.	337
517.	* <i>Jasminum sambac</i> (L.) Ait.	352
518.	<i>Jatropha curcas</i> Linn.	2344
519.	<i>Jatropha gossypifolia</i> Linn.	841
520.	<i>Jatropha podagrica</i> Linn.	1745
521.	<i>Justia procumbens</i> Linn.	359
522.	<i>Justicia adhatoda</i>	456
523.	<i>Justicia diffusa</i> Willd.	44
524.	<i>Justicia micrantha</i> Heyne ex. Wall.	129
525.	<i>Jussiaea suffruticosa</i> Linn.	305
526.	<i>Kalanchoe laciniata</i> DC.	419
527.	<i>Kalanchoe pinnata</i> Pers.	
528.	* <i>Kickxia ramosissima</i> (Wall.) Janchen.	433
529.	<i>Kigelia pinnata</i> DC.	1183
530.	<i>Kirganellia reticulata</i> (Poir) Baill.	1814
531.	<i>Kohautia aspera</i> (Heyne ex Roth) Bremk.	2256
532.	<i>Kydia calycina</i> Roxb.	1406
533.	<i>Lagerstroemia speciosa</i> (Linn.) Pers.	14
534.	<i>Lanea coromandelica</i> (Houtt.) Merr.	1940
535.	<i>Lantana camara</i> Linn.	1686
536.	<i>Lantana salvifolia</i> Jacq.	1502
537.	* <i>Lasiosiphon eriocephalus</i> Decne.	327
538.	<i>Launaea fallax</i> Oltze.	2150
539.	<i>Launaea nudicaulis</i> L.	485
540.	<i>Lavandula bipinnata</i> O. Ktze.	754

541.	* <i>Lawsonia inermis</i> Linn.	367
542.	<i>Leea indica</i> Merrill.	1641
543.	<i>Leonotis nepetaefolia</i> R.Br.	238
544.	* <i>Lepidagathis cristata</i> Willd.	277
545.	<i>Leptadenia reticulata</i> (Retz.) W. & A.	578
546.	<i>Leucaena glauca</i> Benth.	995
547.	<i>Leucaena leucocephala</i> (Lamk.) Dewit.	
548.	<i>Leucas aspera</i> Spreng.	1075
549.	<i>Leucas cephalotus</i> Spreng.	581
550.	<i>Leucas ciliata</i> Benth.	2157
551.	<i>Leucas lavandulaefolia</i> Rees.	359
552.	<i>Leucas linifolia</i> Spr.	15
553.	<i>Leucas marrubioides</i> Desf.	1431
554.	<i>Leucas martinicensis</i> R.Br.	1076
555.	* <i>Leucas stelligera</i> Wall.	298
556.	<i>Leucas stelligera</i> Wall.	1364
557.	<i>Ligustrum perrottia</i> A. Dc.	518
558.	<i>Lindenbergia urticaefolia</i> Lehm.	432
559.	<i>Linum mysorensis</i> Heyne.	248
560.	<i>Linum usitatissimum</i> Linn.	1768
561.	<i>Lippia nodiflora</i> Mich.	2356
562.	<i>Litsea stocksii</i> Hook.f.	1414
563.	<i>Litsea zeylanica</i> Nees.	615
564.	<i>Lochnera pusilla</i> (Murr.) K.Schum	2049
565.	<i>Luffa acutangula</i> Roxb.	1176
566.	<i>Lycopersicon lycopersicum</i> linn.	2138
567.	<i>Madhuca longifolia</i> Linn.	461
568.	<i>Maerua oblongifolia</i> (Forsk.) A. Rich.	2047
569.	<i>Maesa indica</i> (Roxb.) A. DC.	1356
570.	<i>Maesa perrottetiana</i> (A.DC.) C.B.Cl.	1046
571.	<i>Malachra capitata</i> L..	451
572.	<i>Mallotus philippinensis</i> Muell. - Arg.	878

573.	<i>Malvastrum coromandelianum</i> Garcke.	1295
574.	* <i>Mangifera indica</i> Linn.	
575.	<i>Manihot utilissima</i> Pohl.	
576.	<i>Manilkara achras</i> (Mill.) Fasbey.	206
577.	<i>Manilkara hexandra</i> (Roxb.) Dalz.	687
578.	<i>Mappia foetida</i> (Wight.) Miers.	521
579.	* <i>Martynia annua</i> Linn.	245
580.	<i>Martynia annua</i> Linn.	1294
581.	<i>Marsdenia volubilis</i> T.Cooke.	1458
582.	<i>Maytenus emarginata</i> (Willd.) DingHou	2695
583.	<i>Maytenus rothiana</i> (Walp.) Lobreau.	299
584.	<i>Medicago falcata</i> Linn.	3418
585.	<i>Melanocenchri jacqlue</i> Montii	
586.	<i>Melia azedarachta</i> L.	2776
587.	<i>Melilotus indica</i> (Linn.) Ali.	2216
588.	<i>Melothria heterophylla</i> Cogn.	1390
589.	<i>Melothria madaraspatana</i> Cogn.	2212
590.	<i>Melothria perpusila</i> (Blume) Cogn.	362
591.	<i>Memecylon umbellatum</i> Burm.	1605
592.	<i>Memecylon umbellatum</i> Burm.	569
593.	<i>Merremia emarginata</i> Hook.f.	937
594.	<i>Merremia gangetica</i> (L.) Cufod.	
595.	<i>Merremia umbellata</i> (L.) Hall.f.	278
596.	<i>Merremia vitifolia</i> (Burm.f.) Hall.f.	365
597.	<i>Mesua ferrea</i> Linn.	210
598.	<i>Michelia champaca</i> Linn.	73
599.	<i>Milium tomentosa</i> (Roxb.) Sin.	777
600.	<i>Mimosa hamata</i> Willd.	9
601.	<i>Mimosa pudica</i> Linn	
602.	<i>Mimosa rubicaulis</i> Lam.	5099
603.	* <i>Mimusops elengi</i> Linn.	
604.	<i>Mimusops hexandra</i> Roxb.	687

605.	* <i>Mirabilis jalapa</i> Linn.	213
606.	<i>Moghania strobilifera</i> Jack.	1635
607.	<i>Mollugo oppositifolia</i> Linn.	2275
608.	<i>Mollugo pentaphylla</i> Linn.	2687
609.	<i>Momordica charantia</i> Linn.	1760
610.	<i>Momordica dioica</i> Roxb.	
611.	<i>Morinda tinctoria</i> Roxb.	4792
612.	<i>Morinda tinctoria</i> Roxb.	323
613.	<i>Moringa oleifera</i> Lam.	2309
614.	<i>Morus alba</i> Linn.	1774
615.	<i>Mountingia calabura</i> L.	110
616.	<i>Mucuna prurita</i> Hook..	391
617.	* <i>Mucuna pruriens</i> (L.) DC.	
618.	<i>Mukia maderaspatana</i> (L.) Roem.	159
619.	<i>Mundulea suberosa</i> (Willd.) Cheval.	289
620.	<i>Murraya koenigi</i> Spreng	543
621.	<i>Murraya koenigi</i> Spreng.	880
622.	<i>Musa paradisiaca</i> Linn.	2345
623.	<i>Mussaenda laxa</i> (Hook.f.)	1435
624.	<i>Myristica attenuata</i> Wall.	622
625.	* <i>Myristica fragrans</i> Houtt.	425
626.	<i>Myrtus communis</i> Linn.	2062
627.	<i>Mytragyna parviflora</i> Korth. Ob.	
628.	<i>Nargamia alata</i> W. & A.	448
629.	<i>Nasturtium indicum</i> DC.	722
630.	<i>Nepeta hindostana</i> (Roth.) Haines.	1730
631.	<i>Nerium indicum</i> Mill.	278
632.	<i>Newracanthus sphaerostachyus</i> Dalz.	1607
633.	<i>Nicandra physaloides</i> Gaertn.	2066
634.	<i>Nicotiana plumbaginifolia</i>	280
635.	* <i>Nicotiana tabacum</i> Willd.	2674
636.	* <i>Nyctanthus arbortristis</i> Linn.	

637.	<i>Nymphaea pubescens</i> Willd.	2382
638.	<i>Ochna japonica</i> Linn.	2713
639.	<i>Ocimum americanum</i> Linn.	2119
640.	<i>Ocimum basilicum</i> Linn.	377
641.	* <i>Ocimum basilicum</i> Linn.	377
642.	<i>Ocimum gratissimum</i> Linn.	501
643.	<i>Ocimum kilimandscharicum</i> Guerke.	3334
644.	<i>Ocimum sanctum</i> Linn.	189
645.	<i>Oldenlandia corymbosa</i> Linn.	2141
646.	<i>Oldenlandia herbacea</i> Roxb.	2260
647.	<i>Olea dioica</i> Roxb.	329
648.	<i>Operculina turpethum</i> (Linn.) Silva Manso.	111
649.	* <i>Origanum majorana</i>	457
650.	<i>Origanum vulgare</i> Linn.	
651.	<i>Orthosiphon pallidus</i> Royle.	254
652.	<i>Osyris wightiana</i> Wall.	328
653.	<i>Oxalis corniculata</i> Linn.	
654.	* <i>Pachyrhizus erosus</i> (L.) Urban.	448
655.	* <i>Paederia foetida</i> Linn.	58
656.	* <i>Pandanus tectorius</i> Sdand ex Vark	
657.	* <i>Paracalyx scariosus</i> Roxb.	332
658.	<i>Parkansonia aculeata</i> Linn.	325
659.	* <i>Passiflora edulis</i> Sims.	368
660.	<i>Passiflora foetida</i> Linn.	416
661.	<i>Pavetta indica</i> Linn.	212
662.	<i>Pavetta crassicaulis</i> Bremk.	719
663.	<i>Pedaliium murex</i> Linn.	
664.	<i>Pentatropis cyanchoides</i> R. Br.	48
665.	<i>Pentatropis spiralis</i> (Forsk.) Decne.	483
666.	* <i>Pergularia daemia</i> (Forsk.) Chiov.	238
667.	* <i>Peristrophe paniculata</i> Forsk.	289
668.	<i>Peucedanum grande</i> C.B. Clerk.	726

669.	<i>*Peucedanum graveolens</i> Linn.	
670.	<i>Phaseolus khandalensis</i> Savt.	1028
671.	<i>Phaseolus radiatus</i>	1153
672.	<i>*Phaseolus trilobus</i> Ait.	276
673.	<i>Phyla nodiflora</i> (L.) Greene.	1303
674.	<i>Phyllanthus distichus</i> Muell. - Arg.	
675.	<i>Phyllanthus fraternus</i> Webster.	
676.	<i>*Phyllanthus maderapatensis</i> Linn.	244
677.	<i>Phyllanthus reticulatus</i> Poir.	763
678.	<i>Phyllanthus urinaria</i> Linn.	342
679.	<i>Physalis minima</i> Linn.	2240
680.	<i>Pimenta dioica</i> (L.) Merrill.	426
681.	<i>Pimpinella heyneana</i> Wall.	1047
682.	<i>Piper betel</i> L.	2770
683.	<i>*Piper longum</i> Linn.	240
684.	<i>Piper nigrum</i> Linn.	1630
685.	<i>Pithecelobium dulce</i> (Roxb.) Bth.	3306
686.	<i>*Pittosporum floribundum</i> Wt. & Arn. Syn. <i>P. wightii</i>	
687.	<i>Plantago ovata</i> Forsk.	10
688.	<i>Plectranthus ambonicus</i>	345
689.	<i>Pluchea tomentosa</i> DC.	398
690.	<i>Plumbago rosea</i> L.	406
691.	<i>Plumbago indica</i>	407
692.	<i>*Plumbago zeylanica</i> Linn.	291
693.	<i>Plumerea alba</i> Linn.	352
694.	<i>Plumerea rubra</i> Linn.	1826
695.	<i>Pogostemon paniculatus</i> Benth.	1014
696.	<i>Pogostemon purpurescens</i> Dalz.	1642
697.	<i>Polycarpea corymbosa</i> Lam.	2205
698.	<i>Polygala chinensis</i> Linn.	264
699.	<i>Polygala erioptera</i> DC.	2165

700.	<i>Polygonum chinense</i> var. <i>brachiatum</i> Linn.	1031
701.	<i>Polygonum glabrum</i> Willd.	1544
702.	<i>Polygonum plebejum</i> R.Br.	1747
703.	<i>Pongamia glabra</i> Vent.	160
704.	* <i>Pongamia pinnata</i> (L.) Pierre.	480
705.	<i>Portulaca oleracea</i> Linn.	2211
706.	<i>Portulaca quadrifida</i> Linn.	542
707.	<i>Premna latifolia</i> (Wall.) C.B. Clarke	641
708.	<i>Prunus</i> sp.	672
709.	<i>Psidium guajava</i> Linn.	
710.	* <i>Psoralea corylifolia</i> Linn.	401
711.	* <i>Pterocarpus marsupium</i> Roxb.	3264
712.	* <i>Pterocarpus santalinus</i> Linn.f.	408
713.	<i>Pulicaria wightiana</i> (DC.) C.B.Cl.	250
714.	* <i>Punica granatum</i> Linn.	
715.	<i>Putrangiva roxburghii</i> Wall.	571
716.	<i>Pygeum gardneri</i> Hook.f.	
717.	<i>Radermacheria xylocarpa</i> (R.) Schum.	1273
718.	<i>Randia rugulosa</i> (Thw.) Bedd.	1073
719.	<i>Ranunculus sceleratus</i> Linn.	
720.	* <i>Raphanus sativus</i> L.	115
721.	* <i>Rauwolfia serpentina</i> Benth. & Kurz.	2626
722.	<i>Rauwolfia tetraphylla</i> Linn.	2103
723.	<i>Remusatia vivipara</i> (Roxb.) Schott.	428
724.	<i>Rhamnus triquetra</i> Wt. & Arn.	718
725.	<i>Rhamnus wightii</i> Wt. & Ar.	1047
726.	<i>Rhus mysurensis</i> Heyne.	1829
727.	* <i>Rhynchosia minima</i> DC.	2108
728.	* <i>Ricinus communis</i> Linn.	150
729.	<i>Rivea hypacratifolia</i> Ehois.	1637
730.	* <i>Rosa centifolia</i> L.	2781
731.	<i>Rourea santaloides</i> (Gaertn.) Alston.	564

732.	<i>Rubia cordifolia</i> Linn.	359
733.	<i>Ruellia tuerosa</i> Linn	9
734.	<i>Rumex vesicarius</i> L.	465
735.	<i>Rungia elegans</i> Dalz. & Gibs.	924
736.	<i>Rungia pectinata</i> (L.) Nees.	2368
737.	* <i>Ruta graveolens</i> Linn.	288
738.	<i>Saccharum spontaneum</i> Linn.	1071
739.	<i>Saccopetalum tomentosum</i> Hook.	149
740.	<i>Sageraea laurifolia</i> (Grah.) Blatter.	351
741.	<i>Salacia chinensis</i> Linn.	528
742.	<i>Salacia macrosperma</i> Wt.	569
743.	<i>Salacia oblonga</i> Wall.	310
744.	<i>Salix tetrasperma</i> Roxb.	1382
745.	* <i>Salvadora persica</i> Linn.	339
746.	<i>Salvia officinalis</i> Linn.	175
747.	<i>Salvia plebia</i> R.Br.	440
748.	* <i>Santalum album</i> Linn.	2120
749.	* <i>Sapindus laurifolius</i> Vahl.	321
750.	<i>Sapium insigne</i> Trimen.	331
751.	* <i>Saraca asoca</i> De. Willde.	
752.	<i>Sarcostemma acidum</i> (Roxb.) Voight.	735
753.	<i>Schinus molle</i> Linn.	18
754.	<i>Schleichera oleosa</i> (Lour.) Oken.	768
755.	<i>Schrebera swietenoides</i> Roxb.	1531
756.	* <i>Scilla indica</i> Baker.	652
757.	<i>Scleropyrum wallichianum</i> Arn.	291
758.	* <i>Scoparia dulcis</i> Linn.	397
759.	<i>Scurrula philippinensis</i> Don.	1847
760.	<i>Scutia circumcissa</i>	363
761.	<i>Scutia myrtina</i> (Burm.f.) Kurz.	560
762.	<i>Securinega virosa</i> (Roxb. ex Willd.) Bail.	81
763.	* <i>Semecarpus anacardium</i> Linn.f.	314

764.	<i>Senecio grahamii</i> Hook.f.	297
765.	* <i>Sesamum orientale</i> Linn.	396
766.	<i>Sesamum mulanganum</i> Nav.	767
767.	<i>Sesbania grandiflora</i> (Linn.) Pers.	903
768.	* <i>Sesbania sesban</i> (Linn.) Merr.	429
769.	<i>Sida acuta</i> Burm.	862
770.	<i>Sida alba</i> Linn.	147
771.	<i>Sida cordata</i> (Burm.f.) Borss.	1398
772.	<i>Sida cordifolia</i> Linn.	488
773.	<i>Sida mysorensis</i> Wt. ex. Arn.	1069
774.	<i>Sida rhombifolia</i> Linn.	398
775.	<i>Sida veronicaefolia</i> lam.	89
776.	<i>Smilax zeylanica</i> Linn.	1623
777.	<i>Solanum anguivi</i> Lamk.	908
778.	<i>Solanum incanum</i> Linn.	1138
779.	<i>Solanum khasianum</i> Clark	934
780.	<i>Solanum melanogena</i> Linn.	2249
781.	* <i>Solanum nigrum</i> Linn.	237
782.	* <i>Solanum surattense</i> Burm.f.	4765
783.	<i>Solanum torvum</i> Swartz.	1082
784.	<i>Solanum trilobatum</i> Linn.	2326
785.	<i>Solanum violaceum</i> L.	3309
786.	<i>Solena amplexicaulis</i> Lamk.	840
787.	<i>Sonchus arvensis</i> Linn.	800
788.	* <i>Sonchus asper</i> (L.) Hill.	257
789.	<i>Sonnertia apetala</i> Buch.-Ham.	340
790.	* <i>Sopubia delphinifolia</i> G. Don.	249
791.	<i>Sorghum vulgare</i> Pers.	2264
792.	<i>Soymida febrifuga</i> Andr. Juss.	1852
793.	<i>Spermacoce hispida</i> Linn.	2287
794.	<i>Spermadictyon suaveolens</i> Roxb.	1034
795.	* <i>Sphaeranthus indicus</i> Linn.	334

796.	* <i>Spilanthus acmella</i> Murr.	268
797.	<i>Spilanthus paniculata</i> Wall. ex. DC.	2110
798.	<i>Spondias acuminata</i> Roxb.	1567
799.	* <i>Spondias pinnata</i> (L.f.) Kurz.	207
800.	<i>Stachytarpheta jamaicensis</i> Vahl.	1692
801.	<i>Stemodia viscosa</i> Roxb.	1800
802.	<i>Stephania hernandifolia</i> Walp.	419
803.	<i>Stephania japonica</i> Miers.	831
804.	<i>Sterculis urens</i> Roxb.	453
805.	<i>Stereospermum suaveolens</i> DC.	1090
806.	<i>Streblus asper</i> Lour	80
807.	<i>Striga densiflora</i> Bth.	243
808.	<i>Striga geseneroides</i> (Willd.) Vatke ex Engl.	1575
809.	<i>Striga lutea</i> Lour.	2071
810.	<i>Strychnos cinnamomifolia</i> Thw.	1059
811.	<i>Strychnos nuxvomica</i> Linn.	1139
812.	* <i>Symplocos racemosa</i> Roxb.	354
813.	<i>Synedrella nodiflora</i> Gaertn.	172
814.	<i>Syzygium aromaticum</i> (Linn.) Merrill & Perry.	424
815.	<i>Syzygium caryophyllatum</i> Alston.	418
816.	<i>Syzygium hemispehericum</i> (Walp.) Alston.	559
817.	<i>Syzygium jambos</i> Alston.	263
818.	<i>Tagetes erecta</i> Linn.	2231
819.	* <i>Tamarindus indica</i> Linn.	369
820.	<i>Tamarix dioica</i> Roxb.	2357
821.	* <i>Tamarix ericoides</i> Roth.	440
822.	<i>Taxillus tomentosus</i> Roth.	1428
823.	<i>Tecoma stans</i> HBK.	1033
824.	* <i>Tectona grandis</i> Linn.f.	3323
825.	<i>Telosma pallida</i> Craib.	1193
826.	<i>Tephrosia coccinea</i> Wall.	363
827.	* <i>Tephrosia purpurea</i> (Linn.) Pers.	219

828.	<i>Tephrosia strigosa</i> (Dalz.) Sant.	285
829.	<i>Teramnus labialis</i> Spreng.	2226
830.	* <i>Terminalia arjuna</i> Willd.	349
831.	* <i>Terminalia belerica</i> Roxb.	3288
832.	<i>Terminalia catappa</i> Linn.	4877
833.	* <i>Terminalia chebula</i> Retz.	3253
834.	* <i>Terminalia crenulata</i> Roth.	380
835.	<i>Terminalia paniculata</i> Roth.	420
836.	<i>Thalapsi elegans</i> Linn.	254
837.	* <i>Thespepsia populenea</i> Soland. ex. Correa	1808
838.	<i>Thespepsia lampas</i> Dalz. ex Dalz. & Gibs.	295
839.	<i>Thevetia peruviana</i> Pers.	147
840.	<i>Thuja orientalis</i> Linn.	38
841.	<i>Thysanolaena procera</i> Mez.	
842.	<i>Tinospora cordifolia</i> (Willd.) Miers.	236
843.	* <i>Toddalea aculeata</i> Pers.	410
844.	<i>Torenia indica</i> Sold.	143
845.	* <i>Tragea involucrata</i> Linn.	252
846.	* <i>Trapa bispinosa</i> Roxb.	436
847.	* <i>Trema orientalis</i> Bl.	311
848.	<i>Trianthema monogyna</i> linn.	2227
849.	<i>Trianthema portulacastrum</i> L.	233
850.	* <i>Tribulus terrestris</i> Linn.	376
851.	<i>Trichodesma indicum</i> var. <i>amplexicaule</i> Roth.	2171
852.	<i>Trichodesma zeylanicum</i> R. Br.	1504
853.	<i>Tricholepis glaberrima</i> DC.	1420
854.	<i>Tricholepis radicans</i> DC.	318
855.	<i>Trichosanthes bracteata</i> Voight	1564
856.	<i>Trichosanthes palmata</i> Roxb.	300
857.	<i>Tridax procumbens</i> Linn.	2126
858.	<i>Triticum aestivum</i> Linn.	2263
859.	<i>Triumphetta rhomboidea</i> Jacquir	223

860.	* <i>Triumphetta rhomboidea</i> Jacquir.	57
861.	<i>Tylophora dalzielii</i> Hook.f.	414
862.	* <i>Tylophora indica</i> (Burm.f.) Merr.	255
863.	<i>Urena lobata</i> Linn.	1693
864.	<i>Urginea indica</i> Kunth.	1577
865.	<i>Vangurina spinosa</i>	183
866.	<i>Vallis solanacea</i> O. Ktze.	572
867.	<i>Ventilago bombaiensis</i> Dalz.	1652
868.	<i>Ventilago calyculata</i> Tulsane.	1817
869.	<i>Ventilago denticulata</i> Willd.	180
870.	<i>Ventilago madraspatana</i> Gaertn.	459
871.	* <i>Vernonia cinerea</i> Nees.	259
872.	<i>Veronica anagallis</i> Linn.	1882
873.	<i>Vetiveria zizanioides</i> (L.) Nash.	88
874.	<i>Vicoa indica</i> (Willd.) DC.	275
875.	<i>Viscum articulatum</i> Burm.	1852
876.	* <i>Vitex negundo</i> Linn.	55
877.	<i>Vitex trifolia</i> Linn.	478
878.	<i>Wagatea spicata</i> Dalz.	1618
879.	<i>Wahlenbergia marginata</i> (Thunb.) A.D.	552
880.	<i>Waltheria indica</i> Linn.	1585
881.	<i>Wedelia chinensis</i> Merr.	133
882.	* <i>Withania somnifera</i> Dunal.	384
883.	* <i>Woodfordia fruticosa</i> Kurz.	96
884.	<i>Wrightia tomentosa</i> Roem. & Schult.	1479
885.	* <i>Wrightia tinctoria</i> R. Br.	27
886.	* <i>Xanthium strumarium</i> Linn.	
887.	<i>Xantolis tomentosa</i> Raf.	542
888.	<i>Zanthoxylum rhesta</i> DC.	330
889.	<i>Zea mays</i> Linn.	2266
890.	<i>Zehneria mysorensis</i> Cut. & Arn.	1064
891.	<i>Zingiber macrostachylim</i> Dalz.	710

892.	<i>Zinnia elegans</i> (L.) Nash.	299
893.	<i>Zizyphus jujuba</i> Lam.	559
894.	<i>Zizyphus mauritiana</i> Lamk.	1520
895.	* <i>Zizyphus oenoplia</i> Mill.	353
896.	<i>Zizyphus rotundifolia</i> Lamk.	1656
897.	<i>Zizyphus xylopyra</i> Willd.	435